

FLEXON




TECHNICAL PRODUCT SHEET


INSTRUCTIONS

THE COLD MOLDABLE SOFT TOEPUFF

CUTTING DIRECTION



RIGHT WAY



WRONG WAY



THANKS TO OUR UNIQUE PRODUCTION PROCESS AND THE USE OF SELECTED RAW MATERIALS, **FLEXON** IS ONE OF THE MOST PERFORMING AND EASY TO WORK TOEPUFF IN THE WORLD

IMITATION WARNING

All our products are densely printed on one side. This is because we have been imitated all over the world and we all want to be sure that if you ask for Morel you get the real one!

COLOUR

All our products are based on natural fibers. This is the reason why the colour of some products might slightly change from lot to lot. Nevertheless the performances are not affected by this.

WE RECOMMEND IT FOR



LOAFERS



SNEAKERS



FLAT SHOES

INSTRUCTIONS

1 FOR COATED

Lay the thermo-adhesive side of the toepuff on the upper and press with a hot press (temperature of 160°-180°C for 6-8 seconds)

FOR UNCOATED

Apply glue on the upper by spray or brush, then, lay the toepuff on the upper.

2

Apply the glue on the toepuff too, by spray or brush

3

Lower the lining and press hard with your hand



THE PRODUCT CAN BE LASTED IN **ANY SHAPE** YOU WISH, WITH A MINIMUM AMOUNT OF HEAT, WITHOUT BREAKING!

PRODUCT	UNCOATED THICKNESS mm	COATED (T) THICKNESS mm
FLEXON 10	0.50 - 0.60 ○	0.55 - 0.65 ○
FLEXON 15	0.70 - 0.80 ○	0.75 - 0.85 ○
FLEXON 20	0.80 - 0.90 ○	0.85 - 0.95 ○
FLEXON 25	1.10 - 1.20 ○	1.15 - 1.25 ○



OUR PRODUCTS ARE MADE WITH

- UP TO **85%** OF RECYCLED FIBERS
- **60%** COMPOSTABLE RAW MATERIAL
- **100%** ENERGY FROM RENEWABLE RESOURCES

EASY TO FIND & FAST DELIVERY

CHOOSE YOUR DELIVERY OPTIONS



Container from 20'



500 sheets pallet



<= 100 sheets boxes



Cut, skived and molded

TOEPUFFS



NORMAL
SKIVE



DOUBLE
SKIVE

Our trained and skilled staff constantly visit our customers all around the world.

Contact us at info@morel.it
or visit our website www.morel.it

**WE SUPPORT AND SHARE WITH YOU
THE SECRETS OF THE BEST SHOES IN THE WORLD**